



März 2002

Sehr geehrter SGI Kunde,

nach der Einführung des Nachfolgeproduktes Origin300 wird mit Wirksamkeit zum 30. Juni 2002 die Produktion von fabrikneuen Origin200 Systemen eingestellt. Dieses Produkt wird ab dem 01. Juni 2002 nicht mehr in unserer Preisliste erscheinen.

Welche Systeme und Konfigurationen darunter fallen, entnehmen Sie bitte dem Anhang. Wenn Sie noch Interesse an fabrikneuen Origin200 Systemen oder Upgrades haben, setzen Sie sich bitte bald möglichst mit Ihrem SGI Vertriebsbeauftragten in Verbindung. Nach dem 30. Juni 2002 können diese SGI Origin200 Systeme, sowie zugehörige Optionen und Upgrades, nach jeweiliger Verfügbarkeit über unsere Product Division Remanufactured Products bezogen werden.

SGI verpflichtet sich dazu, auch künftig einen qualitativ hohen Standard an technischem Support für Ihre Origin200 Systeme zu leisten. Dieser Support steht Ihnen im Rahmen von unseren Standard Support Verträgen zur Verfügung. Der Support umfaßt:

- Zugang zu unserem Customer Support Center (über Telefon oder elektronisch)
- IRIX Betriebssystem-Upgrades. Damit zusammenhängende plattformspezifische Software und Applikationen werden im Ermessen von SGI geliefert
- Eskalation von Anfragen und kritische Bug Fixes über Patches liegen im Ermessen von SGI
- Vor-Ort Hardware Support und Austausch von Teilen
- Verfügbarkeit von Ersatzteilen

Entsprechend unseren Produkt-Support-Richtlinien ist der oben beschriebene Standard an technischem Support noch fünf Jahre nach Produktionsende der jeweiligen Plattform verfügbar. Nach diesem 5-jährigen Zeitraum (ab Juli 2007), liegen weiterer Support und Upgrades für Origin200 Systeme im Ermessen von SGI. Die Entscheidung, Support-Verträge, Reparaturservices und/oder den Verkauf von Ersatzteilen einzustellen, werden wir den betroffenen Kunden mit einer Frist von mindestens 90 Tagen im voraus ankündigen. Im Falle einer solchen Ankündigung wird SGI seinen Kunden noch einmal die Gelegenheit geben, Ersatzteile einzukaufen. Wenn es sich um Teile oder Module handelt, die von einem externen Anbieter zugekauft werden, wird SGI sich bemühen, den Direktkauf durch den Kunden bei diesem Lieferanten zu erleichtern.

Wir möchten sicherstellen, daß Sie weiterhin effektiven und preisgünstigen technischen Support und Service für Ihre SGI Produkte erhalten. Weitere Informationen über SGI Hardware Upgrades, Inzahlungnahme von Geräten und unsere aktuelle Produktpalette erhalten Sie bei Ihrem lokalen Vertriebsteam oder auf unserer Website www.sgi.com.

Mit freundlichen Grüßen,

A handwritten signature in black ink, appearing to read 'D. Retiene', written in a cursive style.

ppa. Dieter Retiene
Director Services
Central Europe

Origin200 mit Produktionsende zum 30.6.2002

SYSTEMS - STANDARD	
FTO-G1-RMOD	Skins for Rackmount version Origin200 GIGACHannel expansion cabinet; includes rack mount kit
FTO-G1-TMOD	Skins for Deskside version Origin200 GIGACHannel expansion cabinet
FTO-S1-RMOD	Skins for Rackmount version Origin200 single tower; includes rack mount kit
FTO-S1-TMOD	Skins for Deskside version Origin200 single tower
L1-G6601-4	Origin200 w/GIGACHannel expansion, 1xR12K 270MHz w/4MB Cache, 18GB sys disk, <u>select memory and skins</u>
L1-G6601-4-RPS	Origin200 w/GIGACHannel expansion, 1xR12K 270MHz w/4MB Cache, 18GB sys disk, RPS, <u>select memory and skins</u>
L1-G6602-4	Origin200 w/GIGACHannel expansion, 2xR12K 270MHz w/4MB Cache, 9GB sys disk, <u>select memory and skins</u>
L1-G6602-4-RPS	Origin200 w/GIGACHannel expansion, 2xR12K 270MHz w/4MB Cache, 9GB, RPS, <u>select memory and skins</u>
L1-G7702-4	Origin200 w/GIGACHannel expansion, 2xR12K 360MHz w/4MB Cache, 9GB sys disk, <u>select memory and skins</u>
L1-G7702-4-RPS	Origin200 w/GIGACHannel expansion, 2xR12K 360MHz w/4MB Cache, 9GB, RPS, <u>select memory and skins</u>
L1-S6601-4	Origin200 Server, 1xR12K 270MHz w/4MB Cache, 9GB sys disk, <u>select memory and skins</u>
L1-S6601-4-RPS	Origin200 Server, 1xR12K 270MHz w/4MB Cache, 9GB, RPS, <u>select memory and skins</u>
L1-S6602-4	Origin200 Server, 2xR12K 270MHz w/4MB Cache, 9GB sys disk, <u>select memory and skins</u>
L1-S6602-4-RPS	Origin200 Server, 2xR12K 270MHz w/4MB Cache, 9GB, RPS, <u>select memory and skins</u>
L1-S7702-4	Origin200 Server, 2xR12K 360MHz w/4MB Cache, 9GB sys disk, <u>select memory and skins</u>
L1-S7702-4-RPS	Origin200 Server, 2xR12K 360MHz w/4MB Cache, 9GB, RPS, <u>select memory and skins</u>
L2-G6604-4	Origin200 w/GIGACHannel expansion, 4xR12K 270MHz w/4MB Cache, 2x9GB sys disk, <u>select memory and skins</u>
L2-G6604-4-RPS	Origin200 w/GIGACHannel expansion, 4xR12K 270MHz, 4MB Cache, 2x9GB, RPS, <u>select skins and memory</u>
L2-G7704-4	Origin200 w/GIGACHannel expansion, 4xR12K 360MHz w/4MB Cache, 2x9GB sys disk, <u>select memory and skins</u>
L2-G7704-4-RPS	Origin200 w/GIGACHannel expansion, 4xR12K 360MHz w/4MB Cache, 2x9GB, RPS, <u>select skins and memory</u>
L2-S6604-4	Origin200 Server, 4xR12K 270MHz w/4MB Cache, 2x9GB sys disk, <u>select memory and skins</u>
L2-S6604-4-RPS	Origin200 Server, 4xR12K 270MHz w/4MB Cache, 2x9GB, RPS, <u>select memory and skin</u>
L2-S7704-4	Origin200 Server, 4xR12K 360MHz w/4MB Cache, 2x9GB sys disk, <u>select memory and skins</u>
L2-S7704-4-RPS	Origin200 Server, 4xR12K 360MHz w/4MB Cache, 2x9GB, RPS, <u>select memory and skin</u>
FTO-HA-S1-RMOD	Skins for Rackmount version of O200; includes rack mount kit; Orderable only as <u>part of HANS solution</u>
HU1-MS6601-4	Origin200 rackmount server 1xR12K 270MHz w/4MB cache, HANS only

HU1-MS6602-4	Origin200 rackmount server 2xR12K 270MHz w/4MB cache, HANS only
P-S-HA-BOX2B-DF-R	Origin200 Rackmount Origin Vault, Diff. interface, no disk, Dual hosting. Orderable only as part of HANS
P-S-LO-RACK	Empty mini rack for rackmount Origin 200 and Origin Vaults. Only orderable as part of the HANS Solution
UPGRADES	
HU1-S6602-4	Upgrade to 2xR12K 270MHz w/4MB cache for Origin200 systems, no memory included. IRIX 6.5.3 required
HU1-S7702-4	Upgrade to 2xR12K 360MHz w/4MB cache for Origin 200 systems, no memory included. IRIX 6.5.8 required
HU-EC-3TO4	NUMALink Interconnect Cable to connect two Origin200 towers (1.5m)
HU-S-EXTCOVERS	Rackmount to Deskside conversion kit for single tower Origin200, Origin Vault (skins)
P-S-RM-KIT	Rack Mounting Kit for Single Tower Origin200, Origin Vault (P-S-BOX2-DF-R); fits Industry Standard racks
MEMORY OPTIONS	
H4-N256-D	Additional 256MB Memory (one bank) for Origin200 225/270MHz, Origin2000 & Onyx2 250/300MHz & SGI 2X00
H4-N512-D-A	Additional 512MB Memory (one bank-64MB) for Origin200, Origin2000, Onyx2 & SGI 2X00 Systems
OPN-1GB-D2-A	First 1GB Memory (2 banks-64MBit) for Origin200, Origin2000, Onyx2 & SGI 2X00 Systems
OPN-1GB-D4	First 1GB Memory (4 banks-64MBit) for Origin200, Origin2000, Onyx2 & SGI 2X00 Systems
OPN-256-1	First 256MB Memory (one bank-64MBit) for Origin200, Origin2000, Onyx2 & SGI 2X00 Systems
OPN-2GB-D4-A	First 2GB Memory (4 banks-64MBit) for Origin200, Origin2000, Onyx2 & SGI 2X00 Systems
OPN-512-D1-A	First 512MB Memory (one bank-64MBit) for Origin200, Origin2000, Onyx2 & SGI 2X00 Systems
OPN-512-D2	First 512MB Memory (2 banks-64MBit) for Origin200, Origin2000, Onyx2 & SGI 2X00 Systems
SYSTEM DISKS	
FTO-18GB-P	18.2GB SE Ultra SCSI Disk for Origin, Onyx2 and SGI 2X00 Systems
FTO-18GB-P-M	Upgrade to 18.2GB SE USCSI Disk for Origin, Onyx2 and SGI 2X00 Systems
FTO-36GB-P	Upgrade to 36GB SE Ultra SCSI Disk for Origin, Onyx2 and SGI 2X00 Systems
FTO-9GB-P	9.1GB SE Ultra SCSI Disk for Origin, Onyx2 and SGI 2X00 Systems
XIO OPTIONS	
HU-CONNECT-XBOX	Origin200 XTOWN adapter, for Origin200 GIGAchannel upgrade (required)
XBOX-DS	GIGAchannel expansion cabinet upgrade, to convert Origin200 to GIGAchannel model. deskside version
XBOX-RM	GIGAchannel expansion cabinet upgrade, rack-mount version, to convert Origin200 to GIGAchannel Model
XT-ATMOC12-1P	SGI XIO OC12 1-Port, MMF ATM Adapter for O200 GIGAchannel. Order with SC4-ATMOC12-5.x
XT-ATM-OC3C-4P	XIO ATM OC3C 4-port adapter for O2000/O2100/Onyx2/O200 GIGA. Separate Driver Required
XT-DIVO	XIO Digital Video IN and OUT Option for Onyx2, Origin2000, SGI 2X00 Systems (Requires SC4-DIVO-x.x)
XT-FC-2P	2-port Fibre Channel XIO card for Origin2000, Onyx2, Origin200 and GIGAchannel systems
XT-FDDI-D	XIO Dual-Attach FDDI Adapter (1 Port) for Origin2000, Origin 200 GIGAchannel, Onyx2 and Origin 3000
XT-FE-4TX-6A	XIO 4-Port Fast-Ether (100Base-Tx) w/ 6-Port Asyn (460 KB) Serial O2K, O3K, O200 GIGAchannel. Onyx2

XT-HIPPI-800-SER	XIO 1-port HIPPI-serial 800MB/sec Adapter for Origin 200 GIGACHannel and Origin 3000
XT-SCSIB-4P	XIO to VME Adapter, 6U for Origin2000/200, GIGACHannel & Onyx2 Systems
XT-VME-6U	XIO to VME Adapter, 6U for Origin2000/200, GIGACHannel & Onyx2 Systems
XT-VME-9U	XIO to VME Adapter, 9U for Origin2000/200, GIGACHannel & Onyx2 Systems
Standalone Shippable Items	
FTO-G1-RMOD-SU	Skins for Rackmount version Origin200 GIGACHannel expansion cabinet; includes rack mount kit
FTO-G1-TMOD-SU	Skins for Deskside version Origin200 GIGACHannel expansion cabinet
FTO-S1-RMOD-SU	Skins for Rackmount version Origin200 single tower; includes rack mount kit
FTO-S1-TMOD-SU	Skins for Deskside version Origin200 single tower
HU-CONNECT-XBOX-SU	Origin200 XTOWN adapter, for Origin200 GIGACHannel upgrade (required)
HU-S-EXTCOVERS-SU	Rackmount to Deskside conversion kit for single tower Origin200, Origin Vault (skins)
MSB-REARPANEL-SU	Rear Panel providing V&A connections for PCI-VIDAUD-MSB. 1xMSB-REARPANEL supports 2xPCI-VIDAUD-MSBs
P-S-18A-SU	18.2GB Ultra SCSI disk drive for Origin Vault, Origin, Onyx2 and SGI 2X00 systems
P-S-36A-SU	36GB Ultra SCSI disk drive for Origin Vault, Origin, Onyx2 and SGI 2X00 systems
P-S-9A-SU	9GB Ultra SCSI disk drive for Origin Vault, Origin, Onyx2 and SGI 2X00 systems
P-S-B6X18B-DF-R	Rackmount Origin & SGI 2X00 differential Vault with 6x18.2GB SE USCSI disks Dual hosting/Daisy chain
P-S-CD40X-S-IPC-SU	650MB, SCSI internal 40X CD-ROM drive, uses one 5 1/4" bay in Origin 200 and Origin Vault
P-S-DDS4-IPC-SU	20GB DDS4 SCSI tape drive, one 5.25" bay in Origin 200
P-S-LO-RACK-SU	Empty mini rack for rackmount Origin 200 and Origin Vaults. Only orderable as part of the HANS Solution
P-S-RACK-SU	Empty Origin Rack for rackmount Origin Vault and Origin200 system expansion
P-S-RM-KIT-SU	Rack Mounting Kit for Single Tower Origin200, Origin Vault (P-S-BOX2-DF-R); fits standard racks
P-S-VAULTB-DF-DS	Deskside Origin Vault, Diff. Dual hosting/Daisy chain. no disk, Origin, Onyx2, & SGI 2X00 systems
P-S-VAULT-DS-SU	Deskside Origin Vault, SE interface, no disk, for Origin, Onyx2, & SGI 2X00
XBOX-DS-SU	GIGACHannel expansion cabinet upgrade, to convert Origin200 to GIGACHannel model, deskside version
XBOX-RM-SU	GIGACHannel expansion cabinet upgrade, rack-mount version, to convert Origin200 to GIGACHannel Model
XT-SCSIB-4P-SU	4-port Ultra SCSI XIO card for Origin2000/200, GIGACHannel and Onyx2 systems
XT-VME-6U-SU	XIO to VME Adapter, 6U for Origin2000/200, GIGACHannel & Onyx2 Systems
XT-VME-9U-SU	XIO to VME Adapter, 9U for Origin2000/200, GIGACHannel & Onyx2 Systems
XVIC25-0200-SU	IRIS Console: Cables for connecting one Origin 200, 25ft
XVIE25-0200-SU	IRIS Console Cables for connecting one Origin 200 to EL16/8, 25ft
SCSI OPTIONS	
P-S-18A	18.2GB Ultra SCSI disk drive for Origin Vault, Origin, Onyx2 and SGI 2X00 systems
P-S-36A	36GB Ultra SCSI disk drive for Origin Vault, Origin, Onyx2 and SGI 2X00 systems

P-S-9A	9GB Ultra SCSI disk drive for Origin Vault, Origin, Onyx2 and SGI 2X00 systems
P-S-B6X18B-DF-DS	Deskside diff. Origin Vault, 6x18.2GB SE USCSI disks Dual host/daisy chain for Origin, Onyx2, SGI 2X00
P-S-B6X36B-DF-DS	Deskside diff. Vault with 6x36GB SE USCSI disks Dual hosting/Daisy chain for Origin, Onyx2, SGI 2X00
P-S-B6X36B-DF-R	Rackmount Origin & SGI 2X00 differential Vault with 6, 36GB SE USCSI disks Dual hosting/Daisy chain
P-S-B6X9B-DF-DS	Deskside Origin Diff vault with 6x9.1GB SE USCSI disks, Dual Host/Daisy chain for Origin, Onyx2, SGI 2X00
P-S-B6X9B-DF-R	Rackmnt Origin Diff Vault w/6, 9.1GB SE USCSI Dual host/Daisy chain disks for Origin, Onyx2, SGI 2X00
P-S-BOX2B-DF-R	Origin200 Rackmount Origin Vault, Diff. interface, no disk, Dual hosting/Daisy chainable
P-S-BOX2B-DF-R-SU	Origin200 Rackmount Origin Vault, Diff. interface, no disk, Dual hosting/Daisy chainable
P-S-BOXB-DF-R	Origin 2000/Onyx2/SGI 2X00 Rackmount Origin Vault, Diff. interface, no disk, Dual host/Daisy chain
P-S-RACK	Empty Origin Rack for rackmount Origin Vault and Origin200 system expansion
P-S-VAULT-DS	Deskside Origin Vault, SE interface, no disk, for Origin, Onyx2, SGI 2X00
SCSI REMOVEABLE MEDIA OPTIONS	
P-S-CD40X-S-IPC	650MB SCSI internal 40X CD-ROM drive, uses one 5 1/4" bay in Origin 200 and Origin Vault
P-S-DDS4-IPC-IRIX	20GB DDS4 SCSI tape drive, one 5.25" bay in Origin 200